


MODULTEILUNG

À PAS MODULE MODULAR PITCH

gefräst Polyamid PA 6 fraisée mat. polyamide PA 6 milled polyamide PA 6
Quality 9h27

Module	(mm)				
1	1.5	2	2.5	3	4 5

Gerade verzahnt, gefräst	Dentures droites, fraissées	Straight tooth, milled
Material: Polyamid PA 6 Profil: gefräst Zahnung: Eingriffswinkel $\alpha=20^\circ$ gefräst Qualität: 9h27 DIN 3962/63/67 Fp (mm): 0.15	Matière: Polyamide PA 6 Profil: fraissée Denture: angle de pression $\alpha=20^\circ$ fraissée Qualité: 9h27 DIN 3962/63/67 Fp (mm): 0.15 Fp (1000 mm): Teilungs-Gesamtabweichung Erreur totale de pas Cumulative pitch error	Material: Polyamide PA 6 Profil: milled Teeth: pressure angle $\alpha=20^\circ$ precision cut Quality: 9h27 DIN 3962/63/67 Fp (mm): 0.15



Part No.	p	Modul	L ± 10	b	h	h ₀	m(kg)
I27 103	3.141	1.0	1000	15	15	14.00	0.18
I27 104	3.141	1.0	2000	15	15	14.00	0.36
I27 113	4.712	1.5	1000	17	17	15.50	0.27
I27 114	4.712	1.5	2000	17	17	15.50	0.54
I27 123	6.283	2.0	1000	20	20	18.00	0.29
I27 124	6.283	2.0	2000	20	20	18.00	0.58
I27 133	7.854	2.5	1000	25	25	22.50	0.62
I27 134	7.854	2.5	2000	25	25	22.50	1.24
I27 143	9.425	3.0	1000	30	30	27.00	0.92
I27 144	9.425	3.0	2000	30	30	27.00	1.84
I27 153	12.566	4.0	1000	40	40	36.00	1.60
I27 154	12.566	4.0	2000	40	40	36.00	3.20
I27 163	15.708	5.0	1000	50	50	45.00	2.60
I27 164	15.708	5.0	2000	50	50	45.00	5.20

p (mm) Teilung, pas, pitch